

# (MURI 09) SEARCH FOR NEW SUPERCONDUCTORS FOR ENERGY AND POWER APPLICATIONS

Ivan Schuller
UNIVERSITY OF CALIFORNIA SAN DIEGO

10/21/2014 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory

AF Office Of Scientific Research (AFOSR)/ RTD

Arlington, Virginia 22203

Air Force Materiel Command

### **REPORT DOCUMENTATION PAGE**

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

|                       |            |               | HE ABOVE ORGANIZATI           | ON.                 |                                 |   |  |  |
|-----------------------|------------|---------------|-------------------------------|---------------------|---------------------------------|---|--|--|
| 1. REPORT DATE (      | DD-MM-YYY  | (Y) 2. REPC   | ORT TYPE                      |                     |                                 | 3. DATES COVERED (From - To)                |  |  |
| 4. TITLE AND SUBTITLE |            |               |                               | 5a. CONTRACT NUMBER |                                 |   |  |  |
|                       |            |               |                               |                     | 5b. GRANT NUMBER                |   |  |  |
|                       |            |               |                               |                     | 5c. PROGRAM ELEMENT NUMBER      |   |  |  |
| 6. AUTHOR(S)          |            |               |                               |                     | 5d. PROJECT NUMBER              |   |  |  |
|                       |            |               |                               |                     | 5e. TASK NUMBER                 |   |  |  |
|                       |            |               |                               |                     | 5f. WORK UNIT NUMBER            |   |  |  |
| 7. PERFORMING O       | RGANIZATI  | ON NAME(S) AN | ID ADDRESS(ES)                |                     |                                 | 8. PERFORMING ORGANIZATION<br>REPORT NUMBER |  |  |
| 9. SPONSORING/M       | IONITORING | GAGENCY NAM   | E(S) AND ADDRESS(ES           | )                   |                                 | 10. SPONSOR/MONITOR'S ACRONYM(S)            |  |  |
|                       |            |               |                               |                     |                                 | 11. SPONSOR/MONITOR'S REPORT NUMBER(S)      |  |  |
| 12. DISTRIBUTION/     | AVAILABILI | TYSTATEMENT   |                               |                     |                                 |   |  |  |
| 13. SUPPLEMENTA       | RY NOTES   |               |                               |                     |                                 |   |  |  |
|                       |            |               |                               |                     |                                 |   |  |  |
| 14. ABSTRACT          |            |               |                               |                     |                                 |   |  |  |
|                       |            |               |                               |                     |                                 |   |  |  |
|                       |            |               |                               |                     |                                 |   |  |  |
| 15. SUBJECT TERM      | IS         |               |                               |                     |                                 |   |  |  |
|                       |            |               |                               |                     |                                 |   |  |  |
|                       | ADSTRA     |               | 17. LIMITATION OF<br>ABSTRACT | OF                  | 19a. NAME OF RESPONSIBLE PERSON |   |  |  |
|                       |            |               |                               | PAGES               | 19b. TEL                        | EPHONE NUMBER (Include area code)           |  |  |

To: technicalreports@afosr.af.mil

cc: Dr. Harold Weinstock (harold.weinstock@afosr.af.mil)

Subject: FINAL Report

Grant Title: (MURI 09) Search for New Superconductors for Energy and Power Applications

Organization/Institution name: University of California, San Diego

**Grant #:** AFOSR MURI # FA9550-09-1-0577 **Reporting Period:** 07/15/2009-07/14/2014

### **Accomplishments:**

#### **ABSTRACT**

The search for new materials with interesting properties is probably the most challenging problem in modern condensed matter and materials physics. Important developments in the physics of condensed matter usually start with the discovery of an interesting phenomenon and it is probably safe to state that "without the material there is no physics". This extends to many interesting phenomena including magnetism, ferroelectricity, superionicity etc. Perhaps one of the most intensely explored phenomena, superconductivity, relied mostly on the almost accidental discoveries of new superconductors. The SuperSearch for New Superconductors MURI project departs from this motivated by the BAA # 13 on "Search for New Superconductors for Energy and Power Applications". We developed a novel methodology for an enlightened search for new materials, using a combination of Synthesis and Screening techniques. While no single approach can assure the discovery of new classes of superconductors, our proposal established a rational methodology for the search for new superconductors.

We developed the methodology described in the original proposal, we have discovered a large number of new superconductors, have provided a search service to many researchers world wide, and continue the search in many new systems.

#### **EXECUTIVE SUMMARY**

The results obtained during this project include: development of unique instrumentation which will continue producing first rate science, discovery of many superconducting systems which will continue to be investigated by the members of the MURI and others, education of many young scientists (undergraduate, graduate and postdoctoral), and many collaborations nationally and internationally. A most successful project.

### I. ACCOMPLISHMENTS

This project is dedicated to the development of new search techniques and to implement an exhaustive search for new superconductors. This project is oriented very strongly towards the search and discovery of new materials. We developed an efficient combinatorial method that allows simultaneous search for many superconducting systems. This highly interdisciplinary project was implemented using the following crucial ingredients: 1) Synthesis by many preparation methods 2) fast, sensitive and efficient methods that allow discarding the uninteresting parts of the phase diagram and 3) a comprehensive battery of tests including transport, magnetization, specific heat, optical and microwave response.

During this project we have addressed all the aims of the proposal. Several major accomplishments include

- 1. The Magnetic Field Modulated Microwave Spectroscopy (MFMMS) was developed, provided extensive service to the various AFOSR MURIs working in this field and to others. The Magnetic Field Modulated Microwave Spectroscopy (MFMMS) system with its selectivity and unparalleled limit of detection of minority superconducting phases, of 10<sup>-12</sup> cc<sup>3</sup> embedded in a non-superconducting matrix, has become a powerful tool for the whole community. The discoveries already made, validate the search methodology and now large searches are underway. Samples were exchanged, and coordinated measurements were done between the different MURI partners and others elsewhere. More than 2100 samples have been measured to date.
- 2. **Joint searches** using arc-melting, powder metallurgy, sputtering, sol gel and thin film techniques in a variety of possible superconducting systems with potential for new discoveries. The search methodology described in the original proposal is being applied to a variety of bulk materials systems including: mixtures of well-known superconductors, borides, carbides, silicides, and chalcogenides. In addition, a number of thin film systems have been explored: A15s, superlattices, arrays of nanodots, and phase-spread alloys. See Table I below for a list of all the systems investigated so far.
- 3. **Unusual systems** investigated. Search for new superconductors is underway in the largest collection of micrometeorites available from Susan Taylor at the Army Core of Engineers and in a variety of meteorites, lunar and martian rocks in collaboration with Prof. M. Thiemens, Chemistry Department, UCSD. Conversations (at different stages) are underway with two museums to get access to their collection of meteorites.
- 4. Theoretically driven search. The overarching goal of this work is to identify the universal trends of unconventional superconductors that can be used for a directed search of new superconducting materials. We found earlier a universal scaling relationship between the superfluid density and the product of  $T_c \times \Delta$  ( $\Delta$  is the superconducting energy gap) in unconventional superconductors. We showed lately that this scaling is also present in organic superconductors. This now provides a theoretical framework for the directed search for new superconductors used by us and others.
- 5. **Collaborations** are underway in a variety of combinations with the other SuperSearch MURIs, individual researchers, Army Core of Engineers and science museums. For a comprehensive list see Table II.
- 6. New superconducting systems found. A substantial number of new materials systems were found which exhibit superconductivity at cryogenic temperatures. Improving the  $T_c$  of these systems is underway. See Table III below.

### II. PRACTICAL RESULTS

The results were summarized in 38 papers in first-rate refereed journals, were part of 8 PhD theses, presented as invited and contributed talks at major meetings, and had a major influence on the education of graduate students and postdoctoral fellows.

This research has also been crucial in the education of several PhD students impacting 8 theses works in different ways. Several (19) postdoctoral fellows have contributed partially to the research outlined above and 7 visitors contributed, sometimes free of cost. It is important to highlight that much of the research being done under this project benefits from extensive collaborations with chemist, physicists and engineers at UCSD and other institutions, thus the young investigators are exposed to an important modality of collaborative research.

The graduate students and postdocs associated with this project that have finished their tenure, are employed in industry, national labs and academia. They are also developing independent research in related fields.

## **Archival Publications (published– project entirety)**

- 1. Towards a Two-Dimensional Superconducting State of La<sub>2-x</sub>Sr<sub>x</sub>CuO<sub>4</sub> in a Moderate External Magnetic Field, A. Shafgans, A. LaForge, S. Dordevic, M. Qazilbash, W. Padilla, K. Burch, Z. Li, S. Komiya, Y. Ando, and D. Basov, Phys. Rev. Lett. **104**, 157002 (2010).
- 2. <u>Superconductivity at 7.3K in Ti<sub>2</sub>InN</u>, A. Bartolozo, G. Serrano, A. Serquis, D. Rodrigues Jr., C. A. M. dos Santos, Z. Fisk, A. Machado. Solid State Commun. **150**, 1364 (2010).
- 3. <u>Breakdown of the Universal Josephson Relation in Spin-ordered Cuprate Superconductors</u>, A. A. Schafgans, C. C. Homes, G. D. Gu, Seiki Komiya, Yoichi Ando, and D. N. Basov, Phys. Rev. B **82**, 100505(R) (2010)
- 4. <u>Methodology and Search for Superconductivity in the La-Si-C system</u>, J. de la Venta, A. Basaran, T. Grant, A. Machado, M. Suchomel, R. Weber, Z. Fisk, and Ivan K. Schuller, Supercond. Sci. Technol. **24**, 075017 (2011)
- 5. <u>Manifesto for Higher T<sub>c</sub></u>, D. Basov and A. Chubukov, Nature Physics 7, 272 (2011)
- 6. <u>Incoherent c-Axis Interplane Response of the Iron Chalcogenide FeTe<sub>0.55</sub>Se<sub>0.45</sub> Superconductor from Infrared Spectroscopy</u>, S.J. Moon, C.C. Homes, A.Akrap, Z.J. Xu, J.S. Wen, Z.W. Lin, Q. Li, G.D. Gu, and D.N. Basov, Phys. Rev. Lett. **106**, 217001 (2011).
- 7. Evidence of a Precursor Superconducting Phase at Temperatures as High as 180 K in RBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> (R= Y,Gd,Eu) Superconducting Crystals from Infrared Spectroscopy, A. Dubroka, M. Rossle, K.W. Kim, V. K. Malik, D. Munzar, D. N. Basov, A.A. Schafgans, S. J. Moon, C. T. Lin, D. Haug, V. Hinkov, B. Keimer, Th. Wolf, J. G. Storey, J. L. Tallon, and C. Bernhard, Phys. Rev Lett. **106**, 047006 (2011).
- 8. <u>Ultrahigh Vacuum Sample Mount for X-ray Photoelectron Spectroscopy up to very High Temperature 150-1400 K</u>, M.S. Williamsen, S.K. Ray, Y. Zou, J. Dudek, S. Sen, M. Bissen, L. Kretsch, V.R. Palkar, M.F. Onellion, and P. Guptasarma, J. Vac. Sci. Technol. A **29**, 031602 (2011).
- 9. <u>Electrodynamics of Correlated Electron Materials</u>, D. N. Basov, Richard D. Averitt, Dirk van der Marel, Martin Dressel, and Kristjan Haule, Rev. Mod. Phys. **83**, 471 (2011).
- 10. <u>Superconductivity in Mo<sub>5</sub>SiB<sub>2</sub></u>, A.J.S.Machado, A.M.S.Costa, C.A.Nunes, C.A.M.dos Santos, T.Grant and Z. Fisk, Solid State Comm. **151**,1455 (2011).

- 11. <u>Superconductivity in Th<sub>3</sub>Ni<sub>5</sub>C<sub>5</sub></u>, A.J.S.Machado, T.Grant and Z.Fisk, Supercond. Sci. Technol. **24**, 095007 (2011).
- 12. Superconductivity to 11.5K in Th<sub>2-x</sub>Sc<sub>x</sub>NiC<sub>2</sub>, A.J.S.Machado, T.Grant and Z.Fisk (in preparation).
- 13. Crystal Structure and Properties of Tb(Mn,Cu)O<sub>3</sub>, S.K. Ray, M.S. Williamsen, S. Sen, Y. Zou, P. Guptasarma (in preparation).
- 14. *Properties of Superconducting La-Si-C*, S. Sen, S.K. Ray, J.A. Dudek, M.S. Williamsen, Y. Zou, and P. Guptasarma (in preparation).
- 15. Search for Superconductivity in V-VI compounds, S. Sen and P. Guptasarma (in preparation).
- 16. *Phase Spread Alloy Fabrication and Characterization*, M. Marsh, J. de la Venta, A. Barasan, D. N. Basov, S. Dietze, O. Shpyrko, I. K. Schuller (in preparation).
- 17. <u>Insulator-to-metal transition and correlated metallic state of V<sub>2</sub>O<sub>3</sub> investigated by optical spectroscopy</u>, M.K. Stewart, D. Brownstead, S. Wang, K.G. West, J.G. Ramirez, M.M. Qazilbash, N.B. Perkins, Ivan K. Schuller, D. Basov, Phys. Rev. B, **85**(20), 205113 (2012).
- 18. <u>Electron Spin Resonance of the Intermetallic Antiferromagnet Euln<sub>2</sub>As<sub>2</sub></u>, P.F.S. Rosa, C. Adriano, T.M. Garitezi, R.A. Ribeiro, Z. Fisk, P.G. Pagliuso, Phys. Rev. B, **89**(9), 094408 (2012).
- 19. <u>Th<sub>2</sub>NiC<sub>2</sub>: A Low Density of States Superconductor</u>, A.J.S. Machado, T. Grant, Z. Fisk, Supercond. Sci. Technol., **25**(4), 045010 (2012).
- 20. <u>Infrared Measurement of the Pseudogap of P-Doped and Co-Doped High-Temperature BaFe2As2 Superconductors</u>, S.J. Moon, A.A. Schafgans, S. Kasahara, T. Shibauchi, T. Terashima, Y. Matsuda, M. A. Tanatar, R. Prozorov, A. Thaler, P. C. Canfield, A.S. Sefat, D. Mandrus, and D.N. Basov, Phys. Rev. Lett. **109**, 027006 (2012).
- 21. Electronic Correlations and Unconventional Spectral Weight Transfer in the High-Temperature Pnictide BaFe<sub>2-x</sub>Co<sub>x</sub>As<sub>2</sub> Superconductor Using Infrared Spectroscopy, A. A. Schafgans, S. J. Moon, B. C. Pursley, A. D. LaForge, M. M. Qazilbash, A. S. Sefat, D. Mandrus, K. Haule, G. Kotliar, and D. N. Basov, Phys. Rev. Lett. **108**, 147002 (2012).
- 22. <u>Corrigendum: Methodology and Search for Superconductivity in the La-Si-C System</u>, J. de la Venta, Ali C. Basaran, T. Grant, A.J.S. Machado, M.R. Suchomel, R.T. Weber, Z. Fisk and Ivan K. Schuller, Supercond. Sci. Technol. **25**, 049501 (2012).
- 23. <u>Magnetism and the Absence of Superconductivity in the Praseodymium-Silicon System Doped with Carbon and Boron</u>, J. de la Venta, A.C. Basaran, T. Grant, J.M. Gallardo-Amores, J.G. Ramirez, M.A. Alario-Franco, Z. Fisk, I.K. Schuller, J. Magn. Magn. Mater., **340**, 27 (2013).
- 24. <u>Ferromagnetism in Partially Oxidized CuCl</u>, T. Saerbeck, J. Pereiro, J.Wampler, J. Stanley, J. Wingert, O.G. Shpyrko, and Ivan K. Schuller, J. Magn. Magn. Mater., **346**, 161 (2013).
- 25. <u>Sharp Raman Anomalies and Broken Adiabaticity at a Pressure Induced Transition from Band to Topological Insulator in Sb<sub>2</sub>Se<sub>3</sub></u>, A. Bera, L. Pal, D.V. Muthu, S. Sen, P. Guptasarma, U.V. Waghmare, A.K. Sood, Phys. Rev. Lett., **110**, 107401 (2013).

- 26. <u>Electron Spin Resonance of the Intermetallic Antiferromagnet Euln2As2</u>, P.F.S. Rosa, C. Adriano, T.M. Garitezi, R.A. Ribeiro, Z. Fisk, P.G. Pagliuso, Phys. Rev. B, 89(9), 094408 (2012).
- 27. <u>Evolution of Eu<sup>2+</sup> Spin Dynamics in Ba<sub>1-x</sub>Eu<sub>x</sub>Fe<sub>2</sub>As<sub>2</sub></u>, P.F.S. Rosa, C. Adriano, W. Iwamoto, T.M. Garitezi, T. Grant, Z. Fisk, P.G. Pagliuso, Phys. Rev. B., **88**(15), 159907 (2013).
- 28. <u>Critical Current Density and Flux Pinning in Zr<sub>0.96</sub>V<sub>0.04</sub>B<sub>2</sub> Superconductor with AIB<sub>2</sub> Structure, Soon-Gil Jung, J. Vanacken, V.V. Moshchalkov, S.T. Renosto, C.A.M. dos Santos, A.J.S. Machado, Z. Fisk, J. Albino Aguiar, J. Appl. Phys., **114**(13), 133905 (2013).</u>
- 29. <u>Conduction Electron Spin Resonance in AIB<sub>2</sub></u>, L.M. Holand, L. Mendonca-Ferreira, R.A. Ribeiro, J.M. Osorio-Guillen, B.M. Dalpian, K. Kuga, S. Nakatsuji, Z. Fisk, R.R. Urbano, P.G. Pagliuso and C. Rettori, J. Phys.: Condens. Matter, **25** (21), 216001 (2013).
- 30. Do Organic and other Exotic Superconductors Fail Universal Scaling Relations? S.V. Dordevic, D.N. Basov & C.C. Homes, Nature Scientific Reports 3, 1713 (2013).
- 31. <u>Interlayer Coherence and Superconducting Condensate in the c-Axis Response of Optimally Doped Ba(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>2</sub>As<sub>2</sub> <u>High-Tc Superconductor Using Infrared Spectroscopy</u>, S.J. Moon, A.A. Schafgans, M.A. Tanatar, R. Prozorov, A. Thaler, P.C. Canfield, A.S. Sefat, D. Mandrus, and D.N. Basov, Phys. Rev. Lett. **110**, 097003 (2013).</u>
- 32. <u>Magnetic Field Modulated Microwave Spectroscopy Across Phase Transitions and the Search for New Superconductors</u>, J. G. Ramirez, Ali C. Basaran, J. de la Venta, J. Pereiro and Ivan K. Schuller. Rep. Prog. Phys. 77, 093902 (2014).
- 33. <u>Superconductivity in Non-centrosymmetric ThCoC</u><sub>2</sub>, T. Grant, A.J.S. Machado, D.J. Kim and Z. Fisk, Supercon. Sci. Technol., **27**, 035004 (2014).
- 34. <u>Field-enhanced Magnetic Moment in Ellipsoidal Nano-hematite</u>, V. Malik, S. Sen, D.R Gelting, M. Gajdardziska-Josifovska, M. Schmidt, P. Guptasarma, Mater. Res. Express 1 (2014) 026114.
- 35. Search for Superconductivity in  $Fe_{1+d}Te$ : Role of Oxidation State, D. R. Gelting, N. P. Smith, S. Sen, M. Schofeld, A. Basaran, I. K. Schuller, M. Gajdardziska-Josifovska, P. Guptasarma, to be communicated Phys. Rev. B, available as preprint (2014).
- 36. <u>Infrared Pseudogap in Cuprate and Pnictide High-temperature Superconductors</u>, S. J. Moon, Yunsang Lee, A.A. Schafgans, A.V. Chubukov, S. Kasahara, T. Shibauchi, T. Terashima, Y. Matsuda, M.A. Tanatar, R. Prozorov, A. Thaler, P.C. Canfield, A.S. Sefat, D. Mandrus, K. Segawa, Y. Ando, and D. N. Basov, Phys. Rev. B. 90, 014503 (2014).
- 37. Near-field Techniques for Probing Collective Modes of Anisotropic Superconducting Thin Films, H. T. Stinson, J.S. Wu, B.Y. Jiang, Z. Fei, A.S. Rodin, B. Chapler, A.S. Mcleod, A. Castro Neto, Y.S. Lee, M. M. Fogler, and D.N. Basov (Under review in PRB).
- 38. Search for Superconductivity in Extraterrestrial Materials: A Most Unusual Fishing Expedition, S. Guenon, J. G. Ramirez, Ali C. Basaran, M. Thiemens, S. Taylor, and Ivan K. Schuller (under review Scientific Reports)

Changes in research objectives, if any: None

Change in AFOSR program manager, if any: None

Extensions granted or milestones slipped, if any: None

Include any new discoveries, inventions, or patent disclosures during this reporting period (if none, report none):

Table I: Systems explored (superconductors and non-superconductors).

| <u>OXIDES</u>   | <b>CALCOGENIDES</b>                     | SILICIDES                         | <u>OTHERS</u>                     |
|---|---|-----------------------------------|-----------------------------------|
| MoSrEuCuO   | Bi <sub>2</sub> Te <sub>3</sub>         | Eu-Si                             | FePc (Phthalocyanine)             |
| $GdBa_2Cu_3O_x$   | FeTe <sub>0.65</sub> Se <sub>0.35</sub> | LaFe <sub>2</sub> Si <sub>2</sub> | H <sub>2</sub> O treated Graphite |
| $SmBa_2Cu_3O_x$   | FeSe:K                                  | Eu-Si-Nb                          | HOPG (Graphene)                   |
| MnO   | FeTe                                    | Cu <sub>3</sub> Si                | Teflon                            |
| $V_2O_3$  | Bi <sub>2</sub> Te <sub>3</sub> Cux     | <b>CARBIDES</b>                   | Irradiated Si                     |
| Pb-Mo-Cl-O  | $Bi_2Se_3Cu_x$                          | Pr-Si-C                           | Nb₃Ge                             |
| YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub>                           | Bi <sub>2</sub> Se <sub>3</sub>         | Eu-Si-C                           | ErRh <sub>4</sub> B <sub>4</sub>  |
| Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> (UD, OD) | Sb <sub>2</sub> Se <sub>3</sub>         | V-Si-C                            | (Ga,Mn)As                         |
| CuO   | ZrSe <sub>2</sub>                       | Sm-Si-C                           | Hf(FeCo)P                         |
| $Y_{1-x}Ca_xCrO_3$  | Fe-Te-Se                                | <b>BORIDES</b>                    | Hf-Fe-C-P                         |
| YCrO <sub>3</sub>   | Cu-Se-V                                 | Eu <sub>5</sub> Si <sub>3</sub> B |                                   |
| Fe <sub>3</sub> O <sub>4</sub>  | <b>CHLORIDES</b>                        | $MgB_2$                           |                                   |
| $SiO_2$   | FeCl <sub>2</sub>                       | TiB <sub>2</sub>                  |                                   |
| La-Fe-Ba-Bi-O   | CuCl/Si                                 | AlB <sub>2</sub>                  |                                   |
| V <sub>2</sub> O <sub>5</sub> :Ti   | CuCl                                    | TiB <sub>2</sub>                  |                                   |
| CaCuO <sub>2</sub> /SrTiO <sub>3</sub>                                    | CuCl <sub>2</sub>                       | Eu <sub>5</sub> Si <sub>3</sub> B |                                   |
| $(Mo/Cu)Sr_2ReCu_2O_x$ , RE:  | Cu-Se-Cl                                | TiB <sub>2</sub>                  |                                   |
| (Y, Er & Tm)  |   |                                   |                                   |

Table II: Worldwide service and collaborations.

| Collaborator        | Institution                               |  |  |
|---------------------|---|--|--|
| M. A. Alario-Franco | Universidad Complutense de Madrid, Spain  |  |  |
| M. Aronson          | Stony Brook University, USA               |  |  |
| M. R. Beasley       | Stanford University, USA                  |  |  |
| D. Esquinazi        | Universität Leipzig, Germany              |  |  |
| I. Felner           | Jerusalem, Israel                         |  |  |
| T. J. Haugan        | The Air Force Research Lab., USA          |  |  |
| J. Hirsch           | University of California – San Diego, USA |  |  |
| G. Larkin           | Florida International University, USA     |  |  |
| B. Maple            | University of California – San Diego, USA |  |  |
| S. Risbud           | University of California – Davis, USA     |  |  |
| J. Sonier           | Simon Fraser University, Canada           |  |  |
| S. Taylor           | Cold Regions Lab., USA                    |  |  |
| M. Thiemens         | University of California – San Diego, USA |  |  |
| R. Puzniak          | Institute of Physics, Warsaw, Poland      |  |  |

Table III New superconductors, discovered by UCSD MURI team.

| BORIDES  | <u>T<sub>c</sub> (K)</u> |
|--|--------------------------|
| $Nb_{0.9}Zr_{0.1}B$                                  | 11.2                     |
| ZrNb <sub>x</sub> B                                  | 9.0                      |
| ZrV <sub>x</sub> B                                   | 9.0                      |
| $ThNi_2Si_2B_x$                                      | 8.5                      |
| Th(RE)B <sub>4</sub> (3 compounds)                   | 5.8                      |
| $Zr_{0.98}Ni_{0.2}B_2$                               | 5.7                      |
| Mo <sub>5</sub> Si <sub>2</sub> B (7 compounds)      | 5.5                      |
| $Zr_{0.99}Ta_{0.01}B_2$                              | 5.5                      |
| $Nb_{0.9}Ni_{0.1}B_2$                                | 5.3                      |
| $Zr_{0.99}Nb_{0.01}B_2$                              | 5.2                      |
| $Zr_{0.91}Pt_{0.09}B_2$                              | 3.7                      |
| W <sub>2</sub> NiB <sub>2</sub>                      | 3.5                      |
| ThMoB <sub>4</sub>                                   | 2.8                      |
| <u>CALCOGENIDES</u>                                  |                          |
| ZrCu <sub>x</sub> Te <sub>1.5</sub>                  | 10.0                     |
| $ZrV_xS_2$   | 7.0 - 9.0                |
| $ZrV_xSe_2$  | 7.0 - 9.0                |
| ZrV <sub>x</sub> Te                                  | 7.0 - 9.0                |
| CARBIDES   |                          |
| ThCo <sub>0.6</sub> Ni <sub>0.4</sub> C <sub>2</sub> | 12.0                     |
| Th <sub>2-x</sub> Sc <sub>x</sub> NiC <sub>2</sub>   | 9.0–11.0                 |
| Th <sub>2</sub> NiC <sub>2</sub>                     | 8.5                      |
| Sc <sub>3</sub> CoC <sub>4</sub>                     | 7.0                      |
| ThNi <sub>4</sub> C                                  | 5.1                      |
| Th <sub>3</sub> Ni <sub>5</sub> C <sub>5</sub>       | 5.0                      |
| Th <sub>5</sub> Ni <sub>4</sub> C                    | 5.0                      |
| ThCoC <sub>2</sub>                                   | 2.7                      |
| ThNiC <sub>2</sub>                                   | 2.7                      |
| YCoC <sub>2</sub>                                    | 2.5                      |
| OTHERS   | 0.0                      |
| Zr <sub>2</sub> CuSb <sub>3</sub>                    | 8.8                      |
| ZrVGe  | 6.0                      |
| HfV <sub>2</sub> Ga <sub>4</sub>                     | 4.0                      |
| Y <sub>3</sub> NiCSi <sub>2</sub>                    | 3.8                      |
| ThSiGe   | 3.4                      |
| Y <sub>5</sub> Ni <sub>2</sub> Bi                    | 3.3                      |
| CaCeIr   | 3.0                      |